



1 WEST ELEVATION
SCALE: 1/4" = 1'-0" FOR 22"x34" SHEET
SCALE: 1/8" = 1'-0" FOR 11"x17" SHEET

ADOBE GROUT INJECTION NOTES:


EXTENT OF ADOBE CRACK INJECTION IS NOT SHOWN ON DRAWINGS. CRACKS $> \frac{1}{8}$ " WIDTH @ SURFACE OF WALL SHALL BE INJECTED PER THE SPECIFICATIONS PROVIDED. CONTRACTOR SHALL SURVEY ELEVATIONS AND PROVIDE STATE REPRESENTATIVE ELEVATIONS WITH CRACKS TO BE INJECTED MAPPED FOR APPROVAL PRIOR TO COMMENCING CRACK INJECTION.

ADOBE DEMOLITION & RECONSTRUCTION NOTES:


1. EXERCISE CAUTION WHEN DEMOLISHING ADOBE. SOME ADOBE IS CRACKED AND POTENTIALLY UNSTABLE. USE CARE WHEN REMOVING ADOBE TO NOT DAMAGE ADJACENT ADOBE. USE LEAST DAMAGING REMOVAL METHODS. DO NOT USE IMPACT TOOLS OR IMPART VIBRATIONS TO (E) ADOBE.
2. EXTENT OF ADOBE RECONSTRUCTION IS INDICATED WITH A HATCH PATTERN ON DRAWINGS. AREAS HAVE BEEN SHOWN WITH STRAIGHT EDGES. HOWEVER, RECONSTRUCTION MUST BE INTEGRATED INTO EXISTING ADOBE COURSES, SEE DIAGRAM.
3. (E) ADOBE WALLS ARE CONSTRUCTED OF 28"x14"x4" (LxWxH) ADOBES. WALLS ARE CONSTRUCTED OF HEADER COURSES EXCEPT AT CORNERS AND OPENINGS WHERE STRETCHERS WERE USED TO AVOID STACKED JOINTS. CONSTRUCT (N) ADOBE BLOCKS AND JOINTS TO MATCH (E).



2 SOUTH ELEVATION
SCALE: 1/4" = 1'-0" FOR 22"x34" SHEET
SCALE: 1/8" = 1'-0" FOR 11"x17" SHEET



3 SOUTH ELEVATION
SCALE: 1/4" = 1'-0" FOR 22"x34" SHEET
SCALE: 1/8" = 1'-0" FOR 11"x17" SHEET



DSA/DPH MDU * B.D1 ACCESSIBILITY REVIEW		CALIFORNIA STATE FIRE MARSHALL-APPROVED	
CERTIFICATION #		Approval of this plan does not authorize or approve any omission of deviation from applicable regulations. Final approval is subject to field inspection. One set of approved plans shall be available on the project site at all times.	
REVIEWER:	DATE:	Reviewed by	Date
ACCESSIBILITY COMPLIANCE AND STATE FIRE MARSHALL APPROVAL ON FILE WITH THE DEPARTMENT OF PARKS AND RECREATION			



CENTRAL SERVICE CENTER
21 Lower Ragsdale Drive
Monterey, CA 93940

DESIGNED	UMG
DRAWN	GDR
CHECKED	UMG


REVISIONS	
DATE	
9-24-04	

CONSULTANT:
WJE ENGINEERS ARCHITECTS MATERIAL SCIENTISTS
Walt, Arney, Egan Architects, Inc.
2225 Point Street, Suite 202
Livermore, CA 94550
925.228.2877 M | 925.228.0528 F


Santa Cruz District, 184 Old Adobe Road, Watsonville, CA 94076
Rancho San Andres Castro Adobe
Exterior Elevations
Rehabilitation

DRAWING NO.
29488.009


SHEET NO.
3.2
9 OF 20



1 LONGITUDINAL SECTION
SCALE: 1/4" = 1'-0" FOR 22"x34" SHEET
SCALE: 1/8" = 1'-0" FOR 11"x17" SHEET



2 TRANSVERSE SECTION
SCALE: 1/4" = 1'-0" FOR 22"x34" SHEET
SCALE: 1/8" = 1'-0" FOR 11"x17" SHEET



DSA/DPB MOU * 8.01 ACCESSIBILITY REVIEW		CALIFORNIA STATE FIRE MARSHALL-APPROVED	
CERTIFICATION #		Approval of this plan does not authorize or approve any omission of deviation from applicable regulations. Final approval is subject to field inspection. One set of approved plans shall be available on the project site at all times.	
REVIEWER:	DATE:	Reviewed by	Date
ACCESSIBILITY COMPLIANCE AND STATE FIRE MARSHALL APPROVAL ON FILE WITH THE DEPARTMENT OF PARKS AND RECREATION			



CENTRAL SERVICE CENTER
21 Lower Ragsdale Drive
Monterey, CA 93940

DESIGNED	UMG
DRAWN	GDR
CHECKED	UMG

REVISIONS	DATE
	9-24-04

CONSULTANT:
WJE
ENGINEERS
ARCHITECTS
MATHEMATICAL SCIENTISTS
2200 Powell Street, Suite 100
Emeryville, CA 94608
(916) 432-2077 or (916) 432-4000 fax
WJE is an Equal Opportunity Employer. Minorities and women are encouraged to apply.

Santa Cruz District, 184 Old Adobe Road, Watsonville, CA 94076
Rancho San Andres Castro Adobe
Building Sections
Rehabilitation

DRAWING NO.
29488.010

SHEET NO.
3.3

10 OF 20